

**DAILY DAM OPERATIONAL DATA
INDIAN VALLEY RESERVOIR, NORTH FORK OF CACHE CREEK**

| Gross Storage: 300,600 AF Spillway crest: 1463ft. MSL | | | ***DAILY READINGS ARE ON MIDNIGHT TO MIDNIGHT BASIS*** | | | | | | | | | | MONTH: October YEAR: 2024 | |
|--|----------------------|--------------|--|----------------|---------------------|------|---------------|------------|---------------|------------|---------------|------------|------------------------------|--|
| Day | Pool Elevation (MSL) | Storage (AF) | Mean In (CFS) | Mean Out (CFS) | Precip. @ Dams (In) | | Hydro Unit #1 | | Hydro Unit #2 | | Hydro Unit #3 | | COMMENTS | |
| | | | | | IV | CCK | CFS | TIME RESET | CFS | TIME RESET | CFS | TIME RESET | | |
| 1 | 1464.48 | 223,632 | -24 | 10.5 | 0.00 | 0.00 | | | | | | | 11cfs SCADA | |
| 2 | 1464.46 | 223,564 | -24 | 10.5 | 0.00 | 0.00 | | | | | | | 11cfs SCADA | |
| 3 | 1464.52 | 223,768 | 113 | 10.4 | 0.00 | 0.00 | | | | | | | 10cfs SCADA | |
| 4 | 1464.40 | 223,360 | -195 | 10.8 | 0.00 | 0.00 | | | | | | | 11cfs SCADA | |
| 5 | 1464.39 | 223,326 | -6 | 10.7 | 0.00 | 0.00 | | | | | | | 11cfs SCADA | |
| 6 | 1464.37 | 223,258 | -24 | 10.7 | 0.00 | 0.00 | | | | | | | 11cfs SCADA | |
| 7 | 1464.35 | 223,190 | -24 | 10.5 | 0.00 | 0.00 | | | | | | | 11cfs SCADA | |
| 8 | 1464.32 | 223,088 | -41 | 10.5 | 0.00 | 0.00 | | | | | | | 11cfs SCADA | |
| 9 | 1464.32 | 223,088 | 11 | 10.5 | 0.00 | 0.00 | | | | | | | 11cfs SCADA | |
| 10 | 1464.30 | 223,020 | -24 | 10.5 | 0.00 | 0.00 | | | | | | | 11cfs SCADA | |
| 11 | 1464.26 | 222,884 | -58 | 10.5 | 0.00 | 0.00 | | | | | | | 11cfs SCADA | |
| 12 | 1464.27 | 222,918 | 28 | 10.8 | 0.00 | 0.00 | | | | | | | 11cfs SCADA | |
| 13 | 1464.26 | 222,884 | -7 | 10.5 | 0.00 | 0.00 | | | | | | | 11cfs SCADA | |
| 14 | 1464.25 | 222,850 | -7 | 10.5 | 0.00 | 0.00 | | | | | | | 11cfs SCADA | |
| 15 | | | 0 | | | | | | | | | | | |
| 16 | | | 0 | | | | | | | | | | | |
| 17 | | | 0 | | | | | | | | | | | |
| 18 | | | 0 | | | | | | | | | | | |
| 19 | | | 0 | | | | | | | | | | | |
| 20 | | | 0 | | | | | | | | | | | |
| 21 | | | 0 | | | | | | | | | | | |
| 22 | | | 0 | | | | | | | | | | | |
| 23 | | | 0 | | | | | | | | | | | |
| 24 | | | 0 | | | | | | | | | | | |
| 25 | | | 0 | | | | | | | | | | | |
| 26 | | | 0 | | | | | | | | | | | |
| 27 | | | 0 | | | | | | | | | | | |
| 28 | | | 0 | | | | | | | | | | | |
| 29 | | | 0 | | | | | | | | | | | |
| 30 | | | 0 | | | | | | | | | | | |
| 31 | | | 0 | | | | | | | | | | | |
| Sum | | | -257.55 | 137.4 | 0.00 | 0.00 | | | | | | | | |